Characterizing the Life Cycle of Online News Stories Using Social Media Reactions

Carlos Castillo
Qatar Computing Research Institute
Doha, Qatar
chato@acm.org

Mohammed El-Haddad
Al Jazeera
Doha, Qatar
mohammed.haddad@aljazeera.net

Jürgen Pfeffer
Carnegie Mellon University
Pittsburgh, USA
jpfeffer@cs.cmu.edu

Matt Stempeck
MIT Center for Civic Media
Cambridge, USA
stempeck@media.mit.edu

arXiv:1304.3010v1 [cs.SI] 10 Apr 2013

ABSTRACT

This paper presents a study of the life cycle of news articles posted online. We consider user activity both from the perspective of their visitation patterns and from their social media reactions. We show that we can use this information to characterize distinct classes of articles, and that we can use social media reactions to predict future visitation patterns early and accurately. We validate our methods using qualitative analysis as well as quantitative analysis on data from the website of Al Jazeera in English, for a set of articles generating more than 3,000,000 visits and 200,000 social media reactions. We show that it is possible to predict the overall traffic an article will receive with the first ten minutes of social media reactions; the prediction accuracy is equivalent to the one based solely on visits after three hours. We also describe significant improvements on the accuracy of the prediction of shelf-life for news stories.

1. INTRODUCTION

Traditional newspapers have been in decline in recent years in terms of readership and revenue; in comparison, digital online news have been steadily increasing according to both metrics.[1] Recent surveys have shown that about half of the population of the US gets their news online, and about one third goes online every day for news.[2]

The study of patterns of consumption of online news has attracted considerable attention from the research community for over a decade. This research started with the analysis of access patterns to websites, and has expanded considerably to include topics such as the generation of personalized news recommendations, automatic summarization, engagement metrics, etc. (see Section 2 for an overview).

One line of research looks at consumption and interaction patterns as a single time series and attempts several prediction tasks on it. For example, predicting total comments from early comments [26, 17], total visits from early visits [15], etc. More recent works incorporate attributes from each specific article (e.g. topic, source, etc.) into the prediction [3].

In our approach, we observe a multivariate time series during a brief period of time, and predict some characteristic of the rest of the series. Specifically, we focus on a series describing user behavior around a news article including visits, social media reactions, and search/referrals, which is observed in the initial minutes following publication. We attempt to predict the total number of page views of the article and its effective shelf-life. We define the effective shelf-life as the time span during which the article will acquire the majority of its visits.

The prediction of future visitation patterns is valuable for a news organization, as it allows them (i) to gain a better understanding of how people consume different types of news online; (ii) to deliver more relevant and engaging content in a proactive manner; and (iii) to improve the allocation of resources to developing stories over their life cycle.

Our contributions. On this paper we present a qualitative and quantitative analysis of the life cycle of online news stories. Our main contributions are the following:

- We characterize two large classes of news stories: breaking news and in-depth articles, and describe the differences in users' behavior around them.
- We describe three classes of short-term response to news articles in terms of visits and social media reactions (decreasing, non-decreasing and rebounding).
- We present predictive models of total visits and shelf-life of articles based on short-term users' behavior.

The remainder of this paper is organized as follows. Section 2 provides an overview of previous works related to ours. Section 3 introduces our data collection and defines the concepts and variables we use. Section 4 describes user behavior with respect to different classes of articles. Section 5

[1] http://stateofthemedia.org/2012/overview-4/key-findings/
[2] http://www.people-press.org/2012/09/27/section-2-online-and-digital-news-2/

This is an unpublished manuscript.
Please ask authors before citing/redistributing.
November 2012.

demonstrates the importance of incorporating social media information into the predictive modeling of visits. The last section includes some concluding remarks.

2. RELATED WORK

One of the earliest published studies of user behavior in online news was conducted by Aikat [2], who studied the web sites of two large newspapers from November 1995 to May 1997. This work describes many of the patterns still seen in news sites today: visits occur mostly during weekdays and working hours; readers "skim" pages for information so dwell times tend to be short, and there are clear traffic "bursts" that can be attributed to specific news developments.

With the advent in recent years of what can be considered as new forms of journalism (blogs) and new propagation mechanisms for news (micro-blogs and online social networking sites), the volume of research publications in this area has increased considerably. In this section we overview a few previous works closely related to ours, but our coverage is by no means complete.

Behavioral-driven article classification. Previous works including [7, 18] that have studied online activities around online resources (e.g. visiting, voting, sharing, etc.), have consistently identified broad classes of temporal patterns. These classes can be generally characterized, first, by the presence or absence of a clear "peak" of activity; and second, by the amount of activity before and after the peak.

Crane and Sornette [7] describe classes of visitation patterns to online videos, and present models that are consistent with propagation phenomena in social networks. Lehmann et al. [18] extend these classes by observing that for Twitter "hashtags" (user-defined topics) the distributions of activity in different periods (before/during/after) induce distinct clusters of activity that can be interpreted considering the semantics of each hashtag. Romero et al. [23] describe how manually-assigned classes of hashtags are related to different shapes of the *exposure curve*: the probability that a user will propagate some information ("retweet" in the case of Twitter) after being exposed to the information by a certain number of her neighbors.

Yang and Leskovec [28] describe six classes of temporal shapes of attention. Attention is measured in terms of the number of appearances of a given phrase (of a variation of it) corresponding to an event. The patterns describe the distribution of attention over time, as well as the ordering in which different types of media (professional blogs, news agencies, etc.) will "break" the story.

In general, previous works have established that the evolution of the popularity of different on-line items depends on their class. Figueiredo et al. [9] describe how YouTube videos that are posted to a "top" page on the website, and videos that are making use of professionally produced content, are different from randomly-chosen videos in terms of their visit patterns.

Recently, researchers at URL shortening service Bit.ly [5] described how an article's half-life (see definition in Section 3) is affected by topics, extending a previous observation than in general there are some topics that are more time-sensitive than others [11]. For instance, business-related articles have on average a longer half-life, while articles related to politics/celebrities/entertainment have an intermediate one. Sports-related articles have in comparison a shorter half-life. Previously, Bit.ly researchers [4] have shown that this half-life is also affected by the social media platform where the link is first posted (e.g. links on Facebook were longer-lived than links on Twitter).

Table 1: Selected references on predictive modeling of user behavior.

	Collection	Input / Output
[26]	20 Minutes	*input*: publication hour, number of comments after a short time, section; *output*: total number of comments
[6]	arXiv pre-prints	*input*: short-term article downloads; *output*: long-term article citations
[17]	DPReviews / Myspace	*input*: time to first-comment, inter comment arrival stats; *output*: time to last comment
[19]	Digg	*input*: visits; *output*: parameters of models that consider examination and promotion patterns
[15]	Blogs	*input*: clicks on first 30 minutes; *output*: clicks until end of lifetime
[30]	Facebook pages	*input*: content and media type; *output*: number of FB likes/shares of each post
[16]	Facebook pages	*input*: text- and other characteristics of the posting and the page; *output*: number of FB likes/shares of each post
[25]	YouTube and Digg	*input*: views (Y), votes (D) in first 10d (Y), 2h (D); *output*: total number of views/votes
[3]	News aggregator	*input*: text analysis incl. topics, named entities, subjectivity, etc., source popularity; *output*: tweet count
[24]	Tweets	*input*: topics, past tweets, content features, user features, etc.; *output*: tweet count for a given topic

We deepen and complement previous works on behavioral-driven characterization of online content, by describing the life-cycle of online news articles considering their visitation patterns as well as their social media reactions.

Prediction of users' activity. The prediction of the volume of user behavior with respect to an on-line content item has attracted a considerable amount of research. This is attested by a number of papers, some of which are outlined in Table 1. Another active topic that is closely related, but different, is that of predicting real-world variables such as sales or profits using social media signals (e.g. [12] and many others).

Over the years, the models used to predict user behavior in social media have increased in complexity. For instance, Bandari et al. [3] and Ruan et al. [24] incorporate into their models features extracted from the content of the articles, such as topics. Yin et al. [29] describe a model that considers that voters are divided into two populations: a group that conforms to the majority of votes of other people, and a group that does not.

Myers et al. [22] incorporate into propagation models the presence of external influences, e.g. traditional media sources that can reach vast audiences, such as television networks. Huang et al. [14] consider an online model that evolves over time as more information becomes available.

In contrast with previous works, we focus on the dynamic relation between social media reactions and visits over time, and show that both are useful to understand the differences among classes of articles and to predict future visit patterns.

Analysis of news visits and social media responses. Dezso et al. [8] analyze the visits to a large news portal in Hungary. One aspect they study which is closely related to our work is the half-life of articles, which is shown to be distributed according to a power-law across a broad range, with a mean of 36 hours. Agarwal et al. [1] study the actions users perform after reading an article, which include printing, commenting, rating, and sharing through e-mail or social media. Their focus is on performing personalized recommendations, but they also uncover that article topics have an effect on the probability of each action, with a division between articles users read privately and articles they share publicly: "Users tend to share articles that earn them social prestige and credit but they do not mind clicking and reading some salacious news occasionally in private." [1]

Social media reactions to traditional news media can vary not only in volume but also qualitatively. Hu et al. [13] record tweets during the broadcast of a speech of the US President. They observe that many tweets refer to the speech in general, except for certain topics which are discussed in more detail.

Finally, social media optimization company SocialFlow describes in a whitepaper [21] a comparative study of social media responses to several large media outlets: Al Jazeera, BBC News, CNN, The Economist, Fox News and The New York Times. Among other findings, they note that the probability that a user clicks on a tweet is higher for The Economist ($\approx 19\%$) than for Fox News ($\approx 16\%$), Al Jazeera ($\approx 11\%$) or The New York Times ($\approx 4\%$). However, followers of Al Jazeera are almost twice as likely to retweet article links than followers of the other channels.

In contrast with previous works, we consider jointly traffic to the website and social media reactions, as both constitute acts in which users engage with the news content. Additionally, we quantify the richness of Twitter messages over time measuring entropy and counting unique tweets, and show that these variables are key to more accurate predictions of future visits.

3. CONTEXT AND DATASET

In this section we provide some context to our research and describe the dataset that will be used on the remainder of the paper.

3.1 Traditional news and social media

Our dataset is provided by Al Jazeera English, a well-established news organization that reaches hundreds of millions of viewers through its TV channel. The Al Jazeera English website[3] is divided into five major sections: News, In-Depth, Programmes, Sport, and Weather – plus a collection of blogs, which is outside the scope of this study. Approximately 40 editors/producers work on the areas of News, In-Depth, and Programmes.

As has become in recent years a standard practice of all major media organizations, the editors of Al Jazeera maintain Facebook and Twitter[4] accounts (we call them "corporate accounts" in the rest of the paper) and use them actively to announce their content. Each account (`facebook.com/aljazeera` and `@AJEnglish`) has over one million followers as of November 2012. Using these accounts, articles in the news section are shared immediately after being posted online. Articles on the In-Depth and Programmes sections are shared throughout the day with the goal of maximizing audience reach across multiple time zones.

The social media accounts re-share articles at different times of the day, sometimes up to 4 times, on a schedule determined by editors' judgment and designed to increase user engagement. Close attention is paid to the wording of the items posted in social media, including aspects such as their length and the use of hashtags in the case of Twitter. Editors use a variety of online tools to obtain low-latency analytics of traffic and social media, and to decide which hashtags and keywords to use in their postings.

The visitors to the Al Jazeera website also use social media platforms. According to an online survey taken in 2011 that received about 4,500 responses, 18% of respondents said they used Twitter, and 42% that they used Facebook (12% said they used both).

Social media interactions and traffic to the website can complement or substitute each other. Most frequently, they complement each other: people click on the shared content and visit the website. Sometimes, the social media share can be a substitute for a visit to the article, such as when a video can be viewed directly on the social media site, or when the social media content itself delivers enough information to satisfy users without requiring them to click through to the full article.

For instance, the news "Pakistan's Malala now able to stand in UK" (19 Oct 2012) generated an unusually large number of shares on Facebook, but comparatively little traffic on the website. At the time, the student-activist was being treated from nearly-fatal wounds received ten days before, and it is likely that users who were following the story just wanted to express their relief or satisfaction at her recovery.

In summary, for Al Jazeera and for most large news organizations, social media is important both because it attracts more visitors to their website than any other external referrer, as well as because it provides more platforms in which to have an audience. Hence, many news organizations adopt an active role in social media in order to increase this positive effect.

3.2 Data collection

We focus on a period of three weeks between October 8th, 2012, and October 29th, 2012. The choice of this period is not random: it was a relatively stable period of traffic, only exhibiting a relatively minor peak on October 29th due to Hurricane Sandy. Figure 1 depicts the frequency of visits to all the articles in our dataset during the observation period.

The data collection is done via a "beacon" embedded in all article pages; this produces events that are processed using Apache S4,[5] a high-performance system for online processing, which is used to collect and aggregate the visits with a 1-minute granularity. For efficiency reasons, only articles obtaining at least 5 visits in a 10-hour window are monitored. The collected data is stored using a Cassandra[6] NoSQL database.

[3] `http://www.aljazeera.com/`

[4] Currently Facebook and Twitter are the two most frequent sources of social media referrals. Reddit appears in a third place but only through few articles having extremely high visibility.

[5] `http://incubator.apache.org/s4/`

[6] `http://cassandra.apache.org/`



Figure 1: Frequency of visits during the observation period. We selected those for which the first observation occurred between Oct. 8th-29th, 2012.

Table 2: Summary statistics of our dataset.

	Total	Article avg.
Number of articles	606	-
Visits after 1 hour	260 K	430
Visits after 1 day	2.5 M	4,273
Visits after 7 days	3.6 M	5,971
Facebook shares	155 K	256
Tweets	80 K	133
Tweet entropy		5.6 bits
Fraction of unique tweets		19.9 %
Fraction of corporate retweets		36.8 %

Our system also collects messages from Facebook and Twitter. Both platforms have strict limitations on polling frequencies, which impose a trade-off between the number of articles we can monitor and the frequency with which we monitor them. To obtain more accurate results for popular articles, and after experimenting with different settings, we decided to poll social media reactions for articles that are within the list of the 30 most visited articles during each five-minute data collection window. We remark that this list varies considerably over time, and is larger than the number of new articles published every day.

We selected a uniform random sample of articles whose first visit was recorded during the observation period, and kept only those accumulating at least 100 visits during their first week after publication. A total of 606 articles was included; this covers over 3.6 million visits and at least 235,000 social media reactions. Table 2 presents some summary statistics on this dataset.

3.3 Metrics

For each article we collected a number of metrics regarding user visits and social media reactions. First, we observed at a granularity of one minute the number of visits (page views) to each article, and the identity of the referral, or previous page seen on each visit. We bucketed the latter into four classes:

- Internal links, mostly from the home page of the website: these are the majority of the traffic sources and comprise 70% of the visits;
- External links from other sources including social media sites, news aggregators, and others: 14%;
- Direct links, which have an empty referral and correspond mostly to people sharing news through instant messaging, e-mail, or other non-web application: 11%,
- Search referrals, basically links from organic search results: 5%.

We remark that these figures correspond to the articles in our sample, which do not include the homepage of the website, section index pages, or older articles. If we take those into account, the numbers are different, e.g. the search referrals account for 30% of the visits.

The fraction of "direct links" in the case of articles is often a form of social media reaction, as most of it corresponds to sharing by e-mail or instant messaging.[7] We also collected periodically the number of times an article has been shared on Facebook, and the content of any Twitter message containing the URL of the article, or a variant of the URL produced by a URL shortening service. We used this data to compute the following variables:

- Number of Facebook shares per minute (interpolated).
- Number of tweets per minute.
- Number of unique tweets per minute. A tweet is deemed *unique* if its edit distance with all previous tweets pointing to the same article (after discarding shortened URLs and "retweet" prefixes) is more than 10 characters.
- Tweet vocabulary entropy. To compute this, at any given point in time we create a document by concatenating all the tweets received up to that time. Then, we compute the entropy of the distribution of terms in that document.
- Number of corporate retweets per minute. A tweet is a "corporate retweet" if it includes "RT @AJEnglish" or "RT @AJELive" in its text. A tweet can be both corporate retweet and unique, as users are free to edit the retweet before posting it.
- Number of followers, friends (followees) and statuses of each of the users posting a tweet.

4. BEHAVIORAL-DRIVEN CLASSES

In this section we describe classes of articles according to patterns of user behavior.

4.1 News vs In-Depth

There are two large classes of articles that trigger distinct user behavior patterns. News (322 articles in our sample) and In-Depth (139 articles). We depict in Figure 2 the most frequent terms in the titles of these two classes (as in e.g. [18]).



Figure 2: Most frequent words in article titles in the "News" (left) and "In-Depth" (right) sections.

News articles are dominated by current events, such as the conflict in Syria for this period of time, while In-Depth

[7] http://www.theatlantic.com/technology/archive/2012/10/dark-soc



Figure 3: Top: typical profile for a News item: "Pirates abduct ship's crew off Nigerian coast" (Oct 17th, 2012). Bottom: an In-Depth item: "Teenage rights activist shot in Pakistan" (Oct 9th, 2012)



Figure 4: Visits in the first hour versus visits on the first week for articles in the two largest categories.



Figure 5: Differences in the distribution of Facebook vs Twitter shares. On average the ratio of Facebook shares to tweets is 1.9:1 (1.6:1 for News, 2.7:1 for In-Depth).

articles are dominated by photos and analyses of some topics.

Figure 3 (top) depicts the typical series for some of these variables in a News article. Time is expressed in *hours-equivalent*, which are hours corrected by the seasonality (day-night, weekday-weekend) of traffic on the website, as in [25]. We can see that initially there are a number of visits and activity on Twitter and Facebook, that decays rapidly after a short time. This is often the pattern in news media as observed e.g. by [8, 20] and others. After three or four hours, almost all the visits can be explained by "internal traffic", i.e. visitors arriving from the homepage of the site. When the news article is displaced from the homepage by more recent items, after about nine hours in this example, its traffic slows down considerably.

The profile of In-Depth articles can be much more complex. Figure 3 (bottom) depicts one such example, where a sustained level of attention in Facebook is observed during several hours.

News items compared to In-Depth items have a more intense first hour, as can be seen in Figure 4. The two groups look similarly to "promoted" (homepage) and "not-promoted" stories in Digg as observed in [25]. News articles are indeed displayed more prominently on the homepage of the website, with the most salient location being typically used by a news item; however, In-Depth articles are also visible across the website, including a prominent slot on the top right corner of every page.

On average the ratio of Facebook shares to tweets per article is 1.9:1, which is to some extent consistent with the survey described in Section 3.1 that indicated that there were twice as many website visitors using Facebook as there were Twitter users. Additionally, In-Depth articles are shared more on Facebook given the same level of activity on Twitter, as shown in Figure 5. On average News articles have 1.6 Facebook shares per tweet, while In-Depth articles have 2.7.

As shown in Figure 6 there is also a difference in the number of unique tweets. On average, 17% of the tweets about News articles are unique, versus 25% of the tweets about In-Depth articles. This means that a majority of users do



Figure 6: Differences in the distribution of the fraction of unique tweets.



Figure 7: Differences in the distribution of the fraction of corporate retweets.

not change the content of the tweets when clicking on the "tweet" button next to the articles, or when retweeting from another Twitter user.

There is also a difference in the number of corporate retweets, as shown in Figure 7 . On average, 27% of tweets about News articles are corporate retweets, compared to 44% of tweets about In-Depth articles. This means that for In-Depth articles a larger share of Twitter activity can be attributed to users who are followers of @AJEnglish or @AJLive, and thus are probably more engaged with these Twitter accounts.

Anecdotally, we know that editors spend more time crafting tweets to promote In-Depth articles than News articles, given that the former are not as time sensitive as the latter. In the case of News, the headline is often posted without modifications to Twitter, which may produce a comparatively less appealing tweet.

4.2 Qualitative analysis of news articles

We begin by examining the attention profiles of articles (e.g. Figure 3) during their first 12 hours-equivalent after publication, and categorize them into several classes based on common visit patterns. We then proceed to provide a qualitative description of each class and the articles that comprise it. This analysis is limited to News articles, as In-Depth and other article categories have significantly more variability in the shape of their traffic profiles, making generalization difficult.

At a high level, the classes of articles in our News sample can be roughly described by an "80:10:10 rule". The traffic to ∼80% of the articles decreases monotonically during the first 12 hours, the traffic to ∼10% does not decrease, and the traffic to the remaining ∼10% decreases first, but then rebounds. Some example articles are listed in Appendix A.

Decreasing (∼78%).

The largest article class represents about 78% of the sample set. Articles in this class demonstrate an initial spike in visits following article publication, followed by a rather consistent drop in the number of visits, either immediately (244 articles), or after a short delay (7 articles).

Delayed onset traffic decreases have been observed before, such as in [20] with respect to the shooting in Aurora, Colorado, in 2012. This attention pattern can often be attributed to breaking news that resonates with readers located in a time zone that is off-peak when the article is first posted, such as when that portion of the audience is mostly asleep. A story about Hurricane Sandy's movement up the east coast of the United States, for example, sees an initially sharp visit growth that begins to decline as the east coast retires for the evening.

The predominance of this class of article indicates that while news itself occurs, and can even be covered, at a constant rate, in most cases readers will only be interested on a news article for a brief period of time after its publication.

Steady or Increasing (∼12%)

Roughly 9% of the sample's articles retain relatively constant visitor rates during their first 12 hours. Compared to news categories with very short shelf-lives, such as sports news, these articles are remarkably consistent. In this subset of news articles, dramatic news and emotional stories appear to garner Facebook shares and, often as a result, extended shelf-lives.

In the U.S., multiple articles on Obama and Romney's sharp-tongued presidential debate drive consistent Facebook and Twitter responses for a relatively long period of time following the articles' publication. A poll on racism in the US has similar staying power and Facebook sharing. In Central Asia, the Taliban attack on Pakistani schoolgirl Malala appears in a number of these articles, where consistent Facebook sharing buoys the article traffic beyond average shelf-life. In Europe, furor over a seismology scandal is posted to Facebook, while in the Middle East, atrocities in the war in Syria and violence between Israel and Hamas also generate hours of steady traffic. Africa sees a new prime minister in Libya, the police shooting of 34 striking miners in South Africa, and a bomb attack on a church in Nigeria, all of which see sustained traffic thanks in part to significant Facebook and Twitter sharing many hours after their initial publication.

Stories in this group were mostly developing stories and many of them had regular updates. One such example is the story about Malala for which Al Jazeera sent a correspondent to the Swat Valley. Being a complex region to cover, a series of news articles and feature stories were written. In addition, Al Jazeera reached out to the Reddit community for a Q&A session which topped the "Ask me anything (AmA)" section[8].

A relatively small number of articles (3% of our sample) buck the usual trend and see increased page traffic as time passes after their publication, rather than a decline. To the extent that these articles can be generalized, they resemble the class of articles detailed above. Some of these articles were also updated with supporting content. For at least half of them, web producers added video packages after publication, which may explain to some extent the increase in visits.

Rebounding (∼10%).

About 10% of the articles in our sample initially exhibit the expected decline in visits per minute, until a point where such decline is reversed. This "rebound" occurs either because of internal or external links.

In the case of internal traffic, the traffic patterns behind these rebounding articles sometimes reflect the common newsroom practice of linking to previous coverage in more recent articles. This practice provides additional background context to readers just arriving at the story, but also helps news organizations extract additional value from articles that are otherwise statistically becoming valueless. Stories that required a significant investment of resources to produce are also promoted more heavily than regular articles. We can see that in these cases, these internal links do indeed deliver readers to articles whose shelf-lives have nearly expired, when measured by homepage and social media traffic.

The articles that rebound as a result of external traffic are beneficiaries of attention directed from outside of the news organization (e.g. a social networking site, the website of another news network, etc.). Typically each observed burst in external web traffic can be tracked to a single source. Breaking stories can also gain visits as ongoing developments drive significant additional interest. This phenomenon is evidenced, for instance, by three rebounding articles tracking Hurricane Sandy's descent upon the United States.

In general, we see that when News articles cover topics that stray from "hard news", the article's attention profile reflects the increased variability seen in the In-Depth pieces. For example, some articles ostensibly cover specific actualities, but also bridge into long-standing issues. In the U.S., "Immigrant family in pursuit of the American Dream" and "Living the modern American Dream" stoke passions around immigration. These articles demonstrate more varied fluctuations in visits over time.

The sometimes blurry line between reporting on immediate actualities and longer-term trends like immigration is an area of tension in journalism, one identified by Galtung and Ruge when they asked "how do 'events' become 'news"'? [10].

5. TRAFFIC PREDICTION USING SOCIAL MEDIA DATA

An increased amount of social media reactions is often correlated with more traffic to online articles. This is particularly marked in the case of non-decreasing and rebounding News articles, as well as In-Depth articles whose visitation patterns are more varied and less predictable than regular (decreasing) News articles. In this section, we combine social media reactions with early visitation measures to provide improved predictions of (i) the volume of visits to an article after 7 days from its publication and (ii) the effective shelf-life of articles, i.e. the time during which they will receive most of their visits.

5.1 Modeling visiting volume

Our first goal is to determine to what extent social media reactions can improve the prediction of the overall popularity (total number of visits) of an article. The dependent variable that we want to describe with our models is the total number of visits after 7 days ($v7d$). We use a straightforward approach to answer this question—linear regression models. We include the following variables (described in Section 3.3) as observed at the time at which the prediction is performed: number of visits (v), number of visits from link referrals and from "direct" traffic (vr, vd), shares on Facebook (f), Twitter (t), mean number of followers of people sharing on Twitter ($foll$), entropy of tweets (ent), number and fraction of unique tweets (uni, $unip$) and fraction of corporate retweets ($corp$). We use a linear regression model that includes all first-order effects as well as second order interactions:

$$lm(vis7d \sim v)$$
$$lm(vis7d \sim (v+vr+vd+f+t+foll+ent+uni+unip+corp)^2)\,.$$

The distribution of visits to articles is log-normal distributed in our data, consistently with previous works [27, 3]. We log-transform $log(x+1)$ the visits as well as the volume of social media reactions. For t=5, 10, 15, ... we calculate the proportion of the explained variance of these two linear models. The result is shown in Figure 8.



Figure 8: Proportion of explained variance (r^2) for the prediction of total volume of visits, for News and In-depth articles.

[8] http://www.reddit.com/r/IAmA/comments/11p6q3/i_am_asad_hashim_journalist_for_the_al_jazeera/

Variable	In-depth		News	
Facebook shares	0.0349	*	0.0204	*
Twitter tweets	0.0026	**	0.0000	***
Twitter entropy	0.0000	***	0.0003	***
Twitter avg. followers	0.0000	***	0.7898	
Volume of unique tweets	0.1086		0.0000	***
Unique tweets %	0.2337		0.0000	***
Corporate retweets %	0.0092	**	0.1551	
Traffic from external links %	0.2292		0.1615	
Traffic from e-mail/IM %	0.3892		0.8656	

Table 3: Significance levels for selected regression models.

It takes about 3 hours to be able to explain > 0.6 of the variance for In-Depth articles, and the additional variables are profitable from the first minutes. After 10-20 minutes we observe the largest difference in our regression models ($+0.5$ in terms of r^2).

We take a closer look at the model variables after 20 minutes to identify the sources of this improvement. For this purpose we stepwise fit the model variables by AIC (Akaike information criterion) as implemented in `stats.step` in R. Table 3 shows the reliability of the Social Media variables to serve as good predictor for the volume of visits after 7 days.

The fraction of traffic from different sources does not appear to be significant when all variables are used for the model; when we reduce the model to exclusively these two variables, the traffic from e-mail/IM is a more significant predictor than the traffic from external links.

Social media variables seem to be significant, particularly the number of tweets and the entropy of the vocabulary used in them, as they show high significance both for In-Depth and News articles. The number of followers of people posting an article on Twitter together with the fraction of corporate retweets seem to be particularly important for In-Depth articles. A possible interpretation is that the response to these articles has a larger component driven by influential accounts and the actions of Al Jazeera editors. In contrast, the number and fraction of unique tweets seem to be significant for the prediction of traffic to News articles. A possible interpretation is that a rich online discussion around a breaking news story can be a significant signal of high user interest.

5.2 Modeling shelf-life

We define the *effective shelf-life at* ℓ of an article as the time passed between its first visit and the time at which it has received a fraction ℓ of the visits it will ever receive. In this work we set $\ell = 0.90$, but similar values (e.g. 0.85, or 0.95) yield similar results to the ones presented here. When $\ell = 0.50$ this is equivalent to half-life [4, 5].

Given that our observation period is finite, we use a seven-day observation period as a proxy for the total number of visits the articles will ever receive, as for basically all the articles in our sample, there is little activity after 3 or 4 days. This is consistent with the experience of Al Jazeera English editors and with observations in previous works (e.g. [28]). We remark however that there are rare cases where an article is "re-born" after weeks, for instance when it provides background information for a new development.

As observed in the qualitative analysis, the average shelf-life of In-Depth articles, 2 days and 9 hours, is longer than the one of News articles, 1 day and 16 hours. Their average half-lives are respectively 20 hours and 8 hours (both are shorter than the 36 hours observed in 2006 by Dezso et al. [8]).



Figure 9: Distribution of effective shelf-life.

The distribution of the shelf-life for both classes is depicted in Figure 9. We also observe that the shelf-life of all articles seems to be in general independent from their total number of visits (Pearson's correlation $r = -0.03$). Consequently, we expect lower accuracy when predicting based solely on visits.

For the predictive task the linear regression model setup is analogue to the one used to predict visiting volume; we use the same variables plus one variable containing the prediction (output) of the model already built. As a performance metric, we use the average absolute prediction error.

The prediction for News after two hours is within 15 hours of the actual value for the model that uses social media signals (down from about 18 hours). For In-Depth articles, there is a larger improvement, going to about 14 hours from 18 hours. The gains from using a longer observation period are not as significant as in the case of predicting the volume of visits, as show in in Figure 10.



Figure 10: Average error of shelf-life predictions.

6. CONCLUSIONS

Results. We have tracked visits and social media reactions to articles on a top news website over several weeks, and observed that there are two classes of articles that generate qualitatively and quantitatively different responses from readers. News articles describing breaking news events tend to decay in attention shortly after they are published and thus have a shorter shelf-life. In-Depth items portraying or analyzing a topic tend to exhibit a longer shelf-life and a richer social media response, including more shares on Facebook for the same level of tweets, and more content-rich tweets in terms of vocabulary entropy and fraction of unique tweets.

By going deeper into the first few hours after publication of News articles, we found three distinctive response patterns in a roughly 80:10:10 proportion: decreasing traffic, steady or increasing traffic, and rebounding traffic. We found that there can be multiple causes for non-decreasing traffic, including the addition of new content to articles, social media reactions, and other types of referrals.

Using the signals collected during our study, and starting from predictions based on early visitation patterns, we have shown that we can improve by a large margin the accuracy of predictions of future visits, and improve the accuracy of predictions of article shelf-life. In particular for In-Depth articles which exhibit more complex visit patterns over time, we have found that incorporating social media activities can lead to substantial gains in terms of prediction accuracy.

Practical significance. From the perspective of a news provider, the ability to predict the life cycle of stories has three main benefits:

- In the case of News stories, knowing how the audience is interacting with an article is not just "nice to have", but increasingly a critical component in delivering timely and relevant content to an ever growing online audience.
- For In-Depth stories, which operate on a slower news cycle, knowing when to allocate additional time and resources can significantly improve the news planning process. This is particularly useful for an emerging class of shows that combine live online discussions with more traditional TV coverage.
- To a web producer, an article with a longer shelf-life means judicious time can be spent preparing backgrounder pieces which are valuable in providing context to a story. From a reach perspective, articles with steady or increasing levels of traffic translate into higher user engagement.

Our work depends on having access to a large repository of social media reactions. As more people get into social media (e.g. Twitter), this line of work will become more relevant and will be able to produce even higher quality predictions.

Future work. We combine findings from computer science, journalism, and media studies. The research presented here is more difficult to execute than the traditional single-discipline study, but we expect interdisciplinary work on this area to become increasingly common as our media and technology continue to converge.

In this work, we used linear models and did not attempt anything more sophisticated. We do not claim that our models are the more accurate that can be built using this data, but used them to demonstrate the importance of social media signals for the predictive tasks we undertake. Better models are definitively possible.

We also used a data-driven approach in which shelf-life is derived from observations. Alternatively, shelf-life can be derived by fitting a visitation curve produced by a parametrized model [27]. This may yield an improvement in the prediction accuracy.

Reproducibility. The data sample used for this study, including feature vectors, will be made available for research purposes at publication time. A web interface to explore the data being collected is available online.[9]

Acknowledgments. The authors wish to thank Al Jazeera English for the data used for this study, Janette Lehmann from Yahoo! Research for her valuable help and comments on an early version of this manuscript, and Michael K. Martin from Carnegie Mellon University for insightful discussions on the regression models.

7. REFERENCES

[1] Deepak Agarwal, Bee C. Chen, and Xuanhui Wang. Multi-faceted ranking of news articles using post-read actions. In *Proceedings of the 21st ACM international conference on Information and knowledge management*, CIKM '12, pages 694–703, New York, NY, USA, 2012. ACM.

[2] Debashis Aikat. News on the web. *Convergence: The International Journal of Research into New Media Technologies*, 4(4):94–110, December 1998.

[3] Roja Bandari, Sitaram Asur, and Bernardo A. Huberman. The pulse of news in social media: Forecasting popularity. February 2012.

[4] Bitly Science Team. You just shared a link. how long will people pay attention? The Bit.ly blog, September 20011.

[5] Bitly Science Team. Halflife by topic. The Bit.ly blog, November 2012.

[6] Tim Brody, Stevan Harnad, and Leslie Carr. Earlier web usage statistics as predictors of later citation impact: Research articles. *J. Am. Soc. Inf. Sci. Technol.*, 57(8):1060–1072, June 2006.

[7] Riley Crane and Didier Sornette. Robust dynamic classes revealed by measuring the response function of a social system. *Proceedings of the National Academy of Sciences*, 105(41):15649–15653, October 2008.

[8] Z. Dezsö, E. Almaas, A. Lukács, B. Rácz, I. Szakadát, and A. L. Barabási. Dynamics of information access on the web. *Physical Review E (Statistical, Nonlinear, and Soft Matter Physics)*, 73(6):066132+, 2006.

[9] Flavio Figueiredo, Fabricio Benevenuto, and Jussara M. Almeida. The tube over time: characterizing popularity growth of youtube videos. In *Proceedings of the fourth ACM international conference on Web search and data mining*, WSDM '11, pages 745–754, New York, NY, USA, 2011. ACM.

[10] Johan Galtung and Mari H. Ruge. The structure of foreign news. *Journal of Peace Research*, 2(1):64–91, 1965.

[11] Shayan O. Gharan, Farnaz Ronaghi, and Ying Wang. What memes say about the news cycle? Technical report, Stanford University, 2010.

[12] Daniel Gruhl, R. Guha, Ravi Kumar, Jasmine Novak, and Andrew Tomkins. The predictive power of online chatter. In *Proceedings of the eleventh ACM SIGKDD international conference on Knowledge discovery in data mining*, KDD '05, pages 78–87, New York, NY, USA, 2005. ACM.

[13] Yuheng Hu, Ajita John, and Doree D. Seligmann. Event analytics via social media. In *Proceedings of the 2011 ACM workshop on Social and behavioural networked media access*, SBNMA '11, pages 39–44, New York, NY, USA, 2011. ACM.

[9] `http://sc1.qcri.org/rtsm-report/`

[14] Shu Huang, Min Chen, Bo Luo, and Dongwon Lee. Predicting aggregate social activities using Continuous-Time stochastic process. In *Proc. of CIKM 2012*, 2012.

[15] Su-Do Kim, Sung-Hwan Kim, and Hwan-Gue Cho. Predicting the virtual temperature of Web-Blog articles as a measurement tool for online popularity. In *Computer and Information Technology (CIT), 2011 IEEE 11th International Conference on*, pages 449–454. IEEE, August 2011.

[16] Himabindu Lakkaraju and Jitendra Ajmera. Attention prediction on social media brand pages. In *Proceedings of the 20th ACM international conference on Information and knowledge management*, CIKM '11, pages 2157–2160, New York, NY, USA, 2011. ACM.

[17] Jong G. Lee, Sue Moon, and Kave Salamatian. An approach to model and predict the popularity of online contents with explanatory factors. In *IEEE Conference on Web Intelligence*, 2010.

[18] Janette Lehmann, Bruno Gonçalves, José J. Ramasco, and Ciro Cattuto. Dynamical classes of collective attention in twitter. In *Proceedings of the 21st international conference on World Wide Web*, WWW '12, pages 251–260, New York, NY, USA, 2012. ACM.

[19] Kristina Lerman and Tad Hogg. Using a model of social dynamics to predict popularity of news. In *Proceedings of the 19th international conference on World wide web*, WWW '10, pages 621–630, New York, NY, USA, 2010. ACM.

[20] Gilad Lotan. Big data for breaking news: Lessons from #aurora, colorado. Technical report, SocialFlow, August 2012.

[21] Gilad Lotan, Devin Gaffney, and Cherie Meyer. Audience analysis of major news accounts on twitter. Technical report, SocialFlow, August 2011.

[22] Seth A. Myers, Chenguang Zhu, and Jure Leskovec. Information diffusion and external influence in networks. In *Proceedings of the 18th ACM SIGKDD international conference on Knowledge discovery and data mining*, KDD '12, pages 33–41, New York, NY, USA, 2012. ACM.

[23] Daniel M. Romero, Brendan Meeder, and Jon Kleinberg. Differences in the mechanics of information diffusion across topics: Idioms, political hashtags, and ComplexContagion on twitter. In *Proceedings of World Wide Web Conference*, 2011.

[24] Yiye Ruan, Hemant Purohit, David Fuhry, Srinivasan Parthasarathy, and Amit Sheth. Prediction of topic volume on twitter. In *WebSci (short papers)*, 2012.

[25] Gabor Szabo and Bernardo A. Huberman. Predicting the popularity of online content. *Communications of the ACM*, 53(8):80–88, August 2010.

[26] Alexandru Tatar, Jérémie Leguay, Panayotis Antoniadis, Arnaud Limbourg, Marcelo D. de Amorim, and Serge Fdida. Predicting the popularity of online articles based on user comments. In *Proceedings of the International Conference on Web Intelligence, Mining and Semantics*, WIMS '11, New York, NY, USA, 2011. ACM.

[27] Fang Wu and Bernardo A. Huberman. Novelty and collective attention. *Proceedings of the National Academy of Sciences*, 104(45):17599–17601, November 2007.

[28] Jaewon Yang and Jure Leskovec. Patterns of temporal variation in online media. In *Proceedings of the fourth ACM international conference on Web search and data mining*, WSDM '11, pages 177–186, New York, NY, USA, 2011. ACM.

[29] Peifeng Yin, Ping Luo, Min Wang, and Wang C. Lee. A straw shows which way the wind blows: ranking potentially popular items from early votes. In *Proceedings of the fifth ACM international conference on Web search and data mining*, WSDM '12, pages 623–632, New York, NY, USA, 2012. ACM.

[30] Bei Yu, Miao Chen, and Linchi Kwok. Toward predicting popularity of social marketing messages. In J. Salerno, S. J. Yang, D. Nau, and S. K. Chai, editors, *Social Computing, Behavioral-Cultural Modeling and Prediction*, volume 6589 of *Lecture Notes in Computer Science*, pages 317–324. Springer, 2011.

APPENDIX

A. EXAMPLE ARTICLES

Delayed decreasing:

Hurricane Sandy moves up US Atlantic coast - Americas
Skydiver lands safely after record jump - Americas
Third-party candidates spar in US debate - Americas
Arrests by French police foiled 'bomb plot' - Europe
Scotland's independence referendum signed - Europe
Rival protesters clash in Egypt's capital - Middle East
Syria opposition 'captures' Assad soldiers - Middle East

Steady:

Bomb attack hits northern Nigerian church - Africa
Libya assembly elects new prime minister - Africa
Police admit 'overreacting' at Marikana - Africa
Marking the Cuban missile crisis - Americas
Obama and Romney face off in final debate - Americas
Obama and Romney meet in combative debate - Americas
Poll finds fresh increase in US racism - Americas
US exports to Iran soar despite sanctions - Americas
Asad Hashim: Ask Me Anything on Malala - Central & South Asia
Clerics declare Malala shooting 'un-Islamic' - Central & South Asia
India suspends Kingfisher licence - Central & South Asia
Pakistani schoolgirl Malala arrives to UK - Central & South Asia
Profile: Malala Yousafzai - Central & South Asia
Teenage rights activist shot in Pakistan - Central & South Asia
Italian seismologists could face jail term - Europe
Karadzic to begin Srebrenica defence at Hague - Europe
Russia says fighters killed in North Caucasus - Europe
Scientists found guilty in Italy quake trial - Europe
Bomb blast hits Damascus' Old City - Middle East
Fatah claims victory in West Bank poll - Middle East
Fighting dims hopes for Syria Eid truce - Middle East
Hariri calls on Lebanese to attend funeral - Middle East
Israel strikes Gaza after Hamas retaliation - Middle East
Marginalisation of disabled people in Egypt - Middle East
Palestinians vote in municipal elections - Middle East
Rights group says Syria used cluster bombs - Middle East
Syrian children killed in Idlib air raids - Middle East
US and EU urge political stability in Lebanon - Middle East

Increasing:

Colombia and FARC rebels launch negotiations - Americas
Immigrant family in pursuit of American Dream - Americas
Living the modern 'American Dream' - Americas
Man charged over attempted US bank bomb plot - Americas
Minors flee Central American violence - Americas
Anti-austerity protests erupt in Athens - Europe
Lithuanians vote out austerity government - Europe
Scientists await verdict in Italy quake trial - Europe
Assault on Yemen base blamed on al-Qaeda - Middle East
Qatari emir in historic Gaza visit - Middle East

Rebounding:

African and EU leaders to hold Mali summit - Africa
Evidence of mass murder after Gaddafi's death - Africa
Nigerian soldiers kill dozens of civilians - Africa
State-linked Libyan militias shell Bani Walid - Africa
Tunisia clash leaves opposition official dead - Africa
UN urges military action plan for Mali - Africa
Wounded Mauritania president flown to Paris - Africa
Argentine crew to vacate ship seized in Ghana - Americas
Armstrong 'unaffected' by doping report - Americas
Biden and Ryan set for crucial VP debate - Americas
Brazil forces set for raid on Rio slums - Americas
Candidates spar in US vice president debate - Americas
Cuba's Castro appears in public - Americas
First planet with four suns discovered - Americas
Forecasters predict 'serious' Hurricane Sandy - Americas
Hurricane Sandy approaches eastern US - Americas
Tsunami warning for Hawaii lifted - Americas
US deficit tops $1 trillion for fourth year - Americas
US East Coast prepares for Hurricane Sandy - Americas
Dozens dead in Afghanistan Eid suicide blast - Central & South Asia
Pakistan court probes bartering of girls - Central & South Asia
Pakistan teen activist in critical condition - Central & South Asia
Berlusconi vows to remain in political arena - Europe
Boxer a big hit as Ukraine readies for vote - Europe
EU leaders agree on banking supervisor - Europe
Germany's Merkel reassures Greece - Europe
Merkel arrives in Greece amid tight security - Europe
Russia demands Turkey explain intercepted jet - Europe
Russian opposition aide arrested - Europe
Baghdad area hit by more deadly Eid attacks - Middle East
Eid truce awaits Syrian government response - Middle East
Kuwait police fire tear gas at protesters - Middle East
Syrian forces continue to shell Aleppo - Middle East